

**Horizontální elektroforézy**

Objednávací číslo	Charakteristika	Cena Kč bez DPH	Cena Kč s DPH
-------------------	-----------------	-----------------	---------------

**MultiSub Mini**

<b>MSMINI7</b>	<b>Multi Sub Mini, 7 x 7cm UV Tray, 2 x 8 sample, 1mm thick combs, casting dams, loading guides</b>	<b>6 500</b>	<b>7800</b>
<b>MSMINI10</b>	<b>Multi Sub Mini, 7 x 10cm UV Tray, 2 x 8 sample, 1mm thick combs, casting dams, loading guides</b>	<b>6 500</b>	<b>7800</b>
<b>MSMINIDUO</b>	<b>Multi Sub Mini, 7 x 7cm &amp; 7 x 10cm UV Tray &amp; 2 x 8 sample, 1mm thick combs, casting dams, loading guides</b>	<b>7 080</b>	<b>8496</b>
MS7-UV7	Multi Sub Mini, 7 x 7cm UV Tray	840	1008
MS7-UV10	Multi Sub Mini, 7 x 10cm UV Tray	1 050	1260
MS7-UVDAM	Multi Sub Mini, UV Tray Dams	840	1008
MS7-PE	Multi Sub Mini - Positive Electrode	1 340	1608
MS7-NE	Multi Sub Mini - Negative Electrode	1 340	1608
MS7-LG	Loading Guides	280	336
MS7-WP	Viewing Platform	230	276
MSMINICP	Cool-pack and platform for MSMINI	1 670	2004
MSMINIBSB	Buffer Saver Blocks for MSMINI, pk/2 saves 100ml of buffer	880	1056
MS7/10-FC	Multi Sub Mini/Midi Flexi caster	3 670	4404
MS7-UVS	7cm UV Gel Scoop	590	708
MS7-1-0.75	Comb Prep 1, Marker 1, 0.75mm thick	510	612
MS7-2-0.75	Comb Prep 2, Marker 2, 0.75mm thick	510	612
MS7-4-0.75	Comb Prep 4, Marker 2, 0.75mm thick	510	612
MS7-8MC-0.75	Comb 8 sample MC, 0.75mm thick	510	612
MS7-8-0.75	Comb 8 sample, 0.75mm thick	510	612
MS7-10-0.75	Comb 10 sample, 0.75mm thick	510	612
MS7-12MC-0.75	Comb 12 sample MC, 0.75mm thick	510	612
MS7-16-0.75	Comb 16 sample, 0.75mm thick	510	612
MS7-1-1	Comb Prep 1, Marker 1, 1mm thick	530	636
MS7-2-1	Comb Prep 2, Marker 2, 1mm thick	530	636
MS7-4-1	Comb Prep 4, Marker 2, 1mm thick	530	636
MS7-8MC-1	Comb 8 sample MC, 1mm thick	530	636
MS7-8-1	Comb 8 sample, 1mm thick	530	636
MS7-10-1	Comb 10 sample, 1mm thick	530	636
MS7-12MC-1	Comb 12 sample MC, 1mm thick	530	636
MS7-16-1	Comb 16 sample, 1mm thick	530	636
MS7-1-1.5	Comb Prep 1, Marker 1, 1.5mm thick	550	660
MS7-2-1.5	Comb Prep 2, Marker 2, 1.5mm thick	550	660
MS7-4-1.5	Comb Prep 4, Marker 2, 1.5mm thick	550	660
MS7-8MC-1.5	Comb 8 sample MC, 1.5mm thick	550	660
MS7-8-1.5	Comb 8 sample, 1.5mm thick	550	660
MS7-10-1.5	Comb 10 sample, 1.5mm thick	550	660
MS7-12MC-1.5	Comb 12 sample MC, 1.5mm thick	550	660
MS7-16-1.5	Comb 16 sample, 1.5mm thick	550	660
MS7-1-2	Comb Prep 1, Marker 1, 2mm thick	570	684
MS7-2-2	Comb Prep 2, Marker 2, 2mm thick	570	684
MS7-4-2	Comb Prep 4, Marker 2, 2mm thick	570	684
MS7-8MC-2	Comb 8 sample MC, 2mm thick	570	684
MS7-8-2	Comb 8 sample, 2mm thick	570	684
MS7-10-2	Comb 10 sample, 2mm thick	570	684
MS7-12MC-2	Comb 12 sample MC, 2mm thick	570	684
MS7-16-2	Comb 16 sample, 2mm thick	570	684
MS7-x-yLG	Combination comb and Loading guide for mini horizontal, X = comb well number, y = comb thickness	840	1008
MS7LID	MS7 Purple lid (No cables)	2 090	2508
MS7TANK	MS7 Tank (including electrodes)	4 580	5496



**Horizontální elektroforézy**

Objednávací číslo	Charakteristika	Cena Kč bez DPH	Cena Kč s DPH
<b>MultiSub Midi</b>			
MSMIDI7	Multi Sub Midi, 10 x 7cm UV Tray, 2 x 16 sample, 1mm thick combs, casting dams, loading guides	7 080	8496
MSMIDI10	Multi Sub Midi, 10 x 10cm UV Tray, 2 x 16 sample, 1mm thick combs, casting dams, loading guides	7 080	8496
MSMIDI20	Multi Sub Midi, 10 x 7cm & 10 x 10cm UV Tray, 2 x 16 sample, 1mm thick combs, casting dams, loading guides	7 660	9192
MSMIDI96	Multi Sub Midi, UV tray, Comb block with 12 x 8 sample, 1mm thick combs, casting dams	8 400	10080
MSMIDI96-8-1	MSMIDI 96 Comb 8 sample MC, 1mm thick	520	624
MSMIDI96-8-1.5	MSMIDI 96 Comb 8 sample MC, 1.5mm thick	560	672
MS10-UV7	Multi Sub Midi, 10 x 7cm UV Tray	1 090	1308
MS10-UV10	Multi Sub Midi, 10 x 10cm UV Tray	1 210	1452
MS10-UV96	Multi Sub Midi, 96 Well Tray	1 490	1788
MS10-UVDAM	Multi Sub Midi, UV Tray Dams	1 050	1260
MS10-PE	Multi Sub Midi - Positive Electrode	1 500	1800
MS10-NE	Multi Sub Midi - Negative Electrode	1 500	1800
MS10-LG	Loading Guides	250	300
MS10-WP	Viewing Platform	250	300
MSMIDICP	Cool-pack and platform for MSMIDI	2 090	2508
MSMIDIBSB	Buffer Saver Blocks for MSMIDI, pk/2 saves 100ml of buffer	1 040	1248
MS7/10-FC	Multi Sub Mini/Midi Flexi caster	3 670	4404
MS10-UVS	10cm UV Gel Scoop	750	900
MS10-1-0.75	Comb Prep 1, Marker 1, 0.75mm thick	590	708
MS10-2-0.75	Comb Prep 2, Marker 2, 0.75mm thick	590	708
MS10-4-0.75	Comb Prep 4, Marker 2, 0.75mm thick	590	708
MS10-8-0.75	Comb 8 sample, 0.75mm thick	590	708
MS10-10MC-0.75	Comb 10 sample MC, 0.75mm thick	590	708
MS10-12-0.75	Comb 12 sample, 0.75mm thick	590	708
MS10-16-0.75	Comb 16 sample, 0.75mm thick	590	708
MS10-20MC-0.75	Comb 20 sample MC, 0.75mm thick	590	708
MS10-25-0.75	Comb 25 sample, 0.75mm thick	590	708
MS10-1-1	Comb Prep 1, Marker 1, 1mm thick	610	732
MS10-2-1	Comb Prep 2, Marker 2, 1mm thick	610	732
MS10-4-1	Comb Prep 4, Marker 2, 1mm thick	610	732
MS10-8-1	Comb 8 sample, 1mm thick	610	732
MS10-10MC-1	Comb 10 sample MC, 1mm thick	610	732
MS10-12-1	Comb 12 sample, 1mm thick	610	732
MS10-16-1	Comb 16 sample, 1mm thick	610	732
MS10-20MC-1	Comb 20 sample MC, 1mm thick	610	732
MS10-25-1	Comb 25 sample, 1mm thick	610	732
MS10-1-1.5	Comb Prep 1, Marker 1, 1.5mm thick	640	768
MS10-2-1.5	Comb Prep 2, Marker 2, 1.5mm thick	640	768
MS10-4-1.5	Comb Prep 4, Marker 2, 1.5mm thick	640	768
MS10-8-1.5	Comb 8 sample, 1.5mm thick	640	768
MS10-10MC-1.5	Comb 10 sample MC, 1.5mm thick	640	768
MS10-12-1.5	Comb 12 sample, 1.5mm thick	640	768
MS10-16-1.5	Comb 16 sample, 1.5mm thick	640	768
MS10-20MC-1.5	Comb 20 sample MC, 1.5mm thick	640	768
MS10-25-1.5	Comb 25 sample, 1.5mm thick	640	768
MS10-1-2	Comb Prep 1, Marker 1, 2mm thick	660	792
MS10-2-2	Comb Prep 2, Marker 2, 2mm thick	660	792
MS10-4-2	Comb Prep 4, Marker 2, 2mm thick	660	792
MS10-8-2	Comb 8 sample, 2mm thick	660	792
MS10-10MC-2	Comb 10 sample MC, 2mm thick	660	792
MS10-12-2	Comb 12 sample, 2mm thick	660	792
MS10-16-2	Comb 16 sample, 2mm thick	660	792
MS10-20MC-2	Comb 20 sample MC, 2mm thick	660	792
MS10-25-2	Comb 25 sample, 2mm thick	660	792
MS10-x-yLG	Combination comb and Loading guide for midi horizontal, X = comb well number, y = comb thickness	840	1008
MS10LID	MS10 Purple lid (No cables)	2 500	3000
MS10TANK	MS10 Tank (including electrodes)	5 000	6000



**Horizontální elektroforézy**

Objednací číslo	Charakteristika	Cena Kč bez DPH	Cena Kč s DPH
<b>MultiSub Choice</b>			
MSCHOICE7	Multi Sub Choice, 15 x 7cm UV Tray, 2 x 20 sample, 1mm thick combs, casting dams, loading guides	7 910	9492
MSCHOICE10	Multi Sub Choice, 15 x 10cm UV Tray, 2 x 20 sample, 1mm thick combs, casting dams, loading guides	7 910	9492
MSCHOICE15	Multi Sub Choice, 15 x 15cm UV Tray, 2 x 20 sample, 1mm thick combs, casting dams, loading guides	7 910	9492
MSCHOICETRIO	Multi Sub Choice Trio, 15 x 7,10 & 15cm UV Tray, 2 X 20 sample, 1mm thick combs, casting dams, loading guides	8 740	10488
MS15-UV7	Multi Sub Choice, 15 x 7cm UV Tray	1 340	1608
MS15-UV10	Multi Sub Choice, 15 x 10cm UV Tray	1 340	1608
MS15-UV15	Multi Sub Choice, 15 x 15cm UV Tray	1 340	1608
MS15-UVDAM	Multi Sub Choice, UV Tray Dams	1 050	1260
MS15-PE	Multi Sub Choice - Positive Electrode	1 670	2004
MS15-NE	Multi Sub Choice - Negative Electrode	1 670	2004
MS15-LG	Loading Guides	260	312
MS15-WP	Viewing Platform	250	300
MSCHOICECP	Cool-pack and platform for MSCHOICE	2 380	2856
MSCHOICEBSB	Buffer Saver Blocks for MSCHOICE pk/2 saves 190ml of buffer	1 190	1428
MS15/20-FC	Multi Sub Choice/Maxi Flexi caster	4 580	5496
MS15-UVS	15cm UV Gel Scoop	1 000	1200
MS15-1-0.75	Comb Prep 1, Marker 1, 0.75mm thick	670	804
MS15-2-0.75	Comb Prep 2, Marker 2, 0.75mm thick	670	804
MS15-4-0.75	Comb Prep 4, Marker 2, 0.75mm thick	670	804
MS15-10-0.75	Comb 10 sample, 0.75mm thick	670	804
MS15-12-0.75	Comb 12 sample, 0.75mm thick	670	804
MS15-20-0.75	Comb 20 sample, 0.75mm thick	670	804
MS15-35-0.75	Comb 35 sample, 0.75mm thick	670	804
MS15-10MC-0.75	Comb 10 sample MC, 0.75mm thick	670	804
MS15-14MC-0.75	Comb 14 sample MC, 0.75mm thick	670	804
MS15-16MC-0.75	Comb 16 sample MC, 0.75mm thick	670	804
MS15-18MC-0.75	Comb 18 sample MC, 0.75mm thick	670	804
MS15-28MC-0.75	Comb 28 sample MC, 0.75mm thick	670	804
MS15-30MC-0.75	Comb 30 sample MC, 0.75mm thick	670	804
MS15-1-1	Comb Prep 1, Marker 1, 1mm thick	700	840
MS15-2-1	Comb Prep 2, Marker 2, 1mm thick	700	840
MS15-4-1	Comb Prep 4, Marker 2, 1mm thick	700	840
MS15-10-1	Comb 10 sample, 1mm thick	700	840
MS15-12-1	Comb 12 sample, 1mm thick	700	840
MS15-20-1	Comb 20 sample, 1mm thick	700	840
MS15-35-1	Comb 35 sample, 1mm thick	700	840
MS15-10MC-1	Comb 10 sample MC, 1mm thick	700	840
MS15-14MC-1	Comb 14 sample MC, 1mm thick	700	840
MS15-16MC-1	Comb 16 sample MC, 1mm thick	700	840
MS15-18MC-1	Comb 18 sample MC, 1mm thick	700	840
MS15-28MC-1	Comb 28 sample MC, 1mm thick	700	840
MS15-30MC-1	Comb 30 sample MC, 1mm thick	700	840
MS15-1-1.5	Comb Prep 1, Marker 1, 1.5mm thick	720	864
MS15-2-1.5	Comb Prep 2, Marker 2, 1.5mm thick	720	864
MS15-4-1.5	Comb Prep 4, Marker 2, 1.5mm thick	720	864
MS15-10-1.5	Comb 10 sample, 1.5mm thick	720	864
MS15-12-1.5	Comb 12 sample, 1.5mm thick	720	864
MS15-20-1.5	Comb 20 sample, 1.5mm thick	720	864
MS15-35-1.5	Comb 35 sample, 1.5mm thick	720	864
MS15-30MC-1.5	Comb 30 sample MC, 1.5mm thick	720	864
MS15-10MC-1.5	Comb 10 sample MC, 1.5mm thick	720	864
MS15-14MC-1.5	Comb 14 sample MC, 1.5mm thick	720	864
MS15-16MC-1.5	Comb 16 sample MC, 1.5mm thick	720	864
MS15-18MC-1.5	Comb 18 sample MC, 1.5mm thick	720	864
MS15-28MC-1.5	Comb 28 sample MC, 1.5mm thick	720	864
MS15-1-2	Comb Prep 1, Marker 1, 2mm thick	740	888
MS15-2-2	Comb Prep 2, Marker 2, 2mm thick	740	888
MS15-4-2	Comb Prep 4, Marker 2, 2mm thick	740	888
MS15-10-2	Comb 10 sample, 2mm thick	740	888
MS15-12-2	Comb 12 sample, 2mm thick	740	888
MS15-16MC-2	Comb 16 sample MC, 2mm thick	740	888
MS15-20-2	Comb 20 sample, 2mm thick	740	888
MS15-30MC-2	Comb 30 sample MC, 2mm thick	740	888
MS15-10MC-2	Comb 10 sample MC, 2mm thick	740	888
MS15-14MC-2	Comb 14 sample MC, 2mm thick	740	888
MS15-18MC-2	Comb 18 sample MC, 2mm thick	740	888
MS15-28MC-2	Comb 28 sample MC, 2mm thick	740	888
MS15-35-2	Comb 35 sample, 2mm thick	740	888
MS15-x-yLG	Combination comb and Loading guide for choice horizontal, X = comb well number, y = comb thickness	1 000	1200
MS15LID	MS15 Purple lid (No cables)	2 500	3000
MS15TANK	MS15 Tank (including electrodes)	6 660	7992



**Horizontální elektroforézy**

Objednací číslo	Charakteristika	Cena Kč bez DPH	Cena Kč s DPH
<b>MultiSub Maxi</b>			
<b>MSMAXI20</b>	<b>Multi Sub Maxi, 20 x 20cm UV Tray, 2 x 20 sample, 1mm thick combs, casting dams, loading guides</b>	<b>14 160</b>	<b>16992</b>
<b>MSMAXI10</b>	<b>Multi Sub Maxi, 20 x 20cm UV Tray, 2 x 20 sample, 1mm thick combs, casting dams, loading guides</b>	<b>14 160</b>	<b>16992</b>
<b>MSMAXIDUO</b>	<b>Multi Sub Maxi, 20 x 10 &amp; 20 x 20cm UV Tray, 2 x 20 sample, 1mm thick combs, casting dams, loading guides</b>	<b>14 990</b>	<b>17988</b>
<b>MSMAXI25</b>	<b>Multi Sub Maxi, 20 x 25cm UV Tray, 2 x 20 sample, 1mm thick combs, casting dams, loading guides</b>	<b>15 820</b>	<b>18984</b>
MS20-UV10	Multi Sub Maxi, 20 x 10cm UV Tray	1 840	2208
MS20-UV20	Multi Sub Maxi, 20 x 20cm UV Tray	1 840	2208
MS20-UV25	Multi Sub Maxi, 20 x 25cm UV Tray	2 500	3000
MS20-UVDAM	Multi Sub Maxi, UV Tray Dams	1 250	1500
MS20-PE	Multi Sub Maxi - Positive Electrode	1 920	2304
MS20-NE	Multi Sub Maxi - Negative Electrode	1 920	2304
MS20-LG	Loading Guides	300	360
MS20-WP	Viewing Platform	300	360
MSMAXICP	Cool-pack and platform for MSMAXI	2 540	3048
MSMAXIBSB	Buffer Saver Blocks for MSMAXI pk/2 saves 450ml of buffer	1 430	1716
MS15/20-FC	Multi Sub Choice/Maxi Flexi caster	4 580	5496
MS20-UVS	20cm UV Gel Scoop	1 000	1200
MS20-1-0.75	Comb Prep 1, Marker 1, 0.75mm thick	850	1020
MS20-2-0.75	Comb Prep 2, Marker 2, 0.75mm thick	850	1020
MS20-4-0.75	Comb Prep 4, Marker 2, 0.75mm thick	850	1020
MS20-10-0.75	Comb 10 sample, 0.75mm thick	850	1020
MS20-16-0.75	Comb 16 sample, 0.75mm thick	850	1020
MS20-20MC-0.75	Comb 20 sample MC, 0.75mm thick	850	1020
MS20-25-0.75	Comb 25 sample, 0.75mm thick	850	1020
MS20-30-0.75	Comb 30 sample, 0.75mm thick	850	1020
MS20-36-0.75	Comb 36 sample, 0.75mm thick	850	1020
MS20-40MC-0.75	Comb 40 sample MC, 0.75mm thick	850	1020
MS20-50-0.75	Comb 50 sample, 0.75mm thick	850	1020
MS20-1-1	Comb Prep 1, Marker 1, 1mm thick	870	1044
MS20-2-1	Comb Prep 2, Marker 2, 1mm thick	870	1044
MS20-4-1	Comb Prep 4, Marker 2, 1mm thick	870	1044
MS20-10-1	Comb 10 sample, 1mm thick	870	1044
MS20-16-1	Comb 16 sample, 1mm thick	870	1044
MS20-20MC-1	Comb 20 sample MC, 1mm thick	870	1044
MS20-25-1	Comb 25 sample, 1mm thick	870	1044
MS20-30-1	Comb 30 sample, 1mm thick	870	1044
MS20-36-1	Comb 36 sample, 1mm thick	870	1044
MS20-40MC-1	Comb 40 sample MC, 1mm thick	870	1044
MS20-50-1	Comb 50 sample, 1mm thick	870	1044
MS20-1-1.5	Comb Prep 1, Marker 1, 1.5mm thick	880	1056
MS20-2-1.5	Comb Prep 2, Marker 2, 1.5mm thick	880	1056
MS20-4-1.5	Comb Prep 4, Marker 2, 1.5mm thick	880	1056
MS20-10-1.5	Comb 10 sample, 1.5mm thick	880	1056
MS20-16-1.5	Comb 16 sample, 1.5mm thick	880	1056
MS20-20MC-1.5	Comb 20 sample MC, 1.5mm thick	880	1056
MS20-25-1.5	Comb 25 sample, 1.5mm thick	880	1056
MS20-30-1.5	Comb 30 sample, 1.5mm thick	880	1056
MS20-36-1.5	Comb 36 sample, 1.5mm thick	880	1056
MS20-40MC-1.5	Comb 40 sample MC, 1.5mm thick	880	1056
MS20-50-1.5	Comb 50 sample, 1.5mm thick	880	1056
MS20-1-2	Comb Prep 1, Marker 1, 2mm thick	900	1080
MS20-2-2	Comb Prep 2, Marker 2, 2mm thick	900	1080
MS20-4-2	Comb Prep 4, Marker 2, 2mm thick	900	1080
MS20-10-2	Comb 10 sample, 2mm thick	900	1080
MS20-16-2	Comb 16 sample, 2mm thick	900	1080
MS20-20MC-2	Comb 20 sample MC, 2mm thick	900	1080
MS20-25-2	Comb 25 sample, 2mm thick	900	1080
MS20-30-2	Comb 30 sample, 2mm thick	900	1080
MS20-36-2	Comb 36 sample, 2mm thick	900	1080
MS20-40MC-2	Comb 40 sample MC, 2mm thick	900	1080
MS20-50-2	Comb 50 sample, 2mm thick	900	1080
MS20-x-yLG	Combination comb and Loading guide for maxi horizontal, X = comb well number, y = comb thickness	1 250	1500
MS20LID	MS20 Purple lid (No cables)	4 580	5496
MS20TANK	MS20 Tank (including electrodes)	9 160	10992




**Horizontální elektroforézy**

Objednávací číslo	Charakteristika	Cena Kč bez DPH	Cena Kč s DPH
-------------------	-----------------	-----------------	---------------

**MultiSub Screen**

MSSCREEN32	Multi SUB Screen, 26 x 32cm UV Tray, 6 x 28 sample combs, loading guides	16 230	19476
MSSCREEN24	Multi SUB Screen, 26 x 24cm UV Tray, 6 x 28 sample combs, loading guides	16 230	19476
MSSCREEN16	Multi SUB Screen, 26 x 16cm UV Tray, 6 x 28 sample combs, loading guides	16 230	19476
MSSCREENTRIO	Multi SUB Screen, 26x16cm, 26x24cm, 26x32cm UV Trays, 6 x 28 sample combs, loading guides	19 550	23460
MS26-UV32	26 x 32cm UV Tray	4 170	5004
MS26-UV24	26 x 24cm UV Tray	3 750	4500
MS26-UV16	26 x 16cm UV Tray	3 330	3996
MS26-LG	Loading Guides	380	456
MS26-WP	Viewing Platform	380	456
MS26-PE	Positive Electrode	2 500	3000
MS26-ST	Gel tray sealing tape. 65m X 25.4mm	930	1116
MS26-NE	Negative Electrode	2 500	3000
MSSCRNCP	Cool-pack and platform for MSSCREEN	3 020	3624
MSSCRNBSB	Buffer Saver Blocks for MSSCREEN, pk/2 saves 625ml of buffer	1 830	2196
MS26-FC	Flexicaster for gels up to 32cm. Casts 7, 10, 15, 16, 20, 24 and 32cm long gels	5 420	6504
MS26-UVS	26cm UV Gel Scoop	1 250	1500
MS26-28MC-0.75	Comb 28 sample MC, 0.75mm thick	1 470	1764
MS26-56MC-0.75	Comb 56 sample MC, 0.75mm thick	1 470	1764
MS26-28MC-1	Comb 28 sample MC, 1mm thick	1 490	1788
MS26-56MC-1	Comb 56 sample MC, 1mm thick	1 490	1788
MS26-28MC-1.5	Comb 28 sample MC, 1.5mm thick	1 510	1812
MS26-56MC-1.5	Comb 56 sample MC, 1.5mm thick	1 510	1812
MS26-28MC-2	Comb 28 sample MC, 2mm thick	1 530	1836
MS26-56MC-2	Comb 56 sample MC, 2mm thick	1 530	1836
MS26-x-yLG	Combination comb and Loading guide for screen horizontal, X = comb well number, y = comb thickness	1 670	2004
MS26LID	MS26 Purple lid (No cables)	5 830	6996
MS26TANK	MS26 Tank (including electrodes)	14 990	17988

**Mini Rapide**

FMMS10	Fast Mini Sub, 10 x 8cm, 2 x 8 sample, 1.5mm thick combs	5 830	6996
FMMS-DAM	Casting Gates, Pk/2	590	708
RPW0.2	Replacement Platinum Wire 0.2mm - 50cm	1 890	2268
FMMS-1-1	Comb 1 sample, 1 dye, 1mm thick	440	528
FMMS-4-1	Comb 4 sample, 1mm thick	440	528
FMMS-8-1	Comb 8 sample, 1mm thick	440	528
FMMS-12-1	Comb 12 sample, 1mm thick	440	528
FMMS-16-1	Comb 16 sample, 1mm thick	440	528
FMMS-20MC-1	Comb 20 sample MC, 1mm thick	440	528
FMMS-1-1.5	Comb 1 sample, 1 dye, 1.5mm thick	480	576
FMMS-4-1.5	Comb 4 sample, 1.5mm thick	480	576
FMMS-8-1.5	Comb 8 sample, 1.5mm thick	480	576
FMMS-12-1.5	Comb 12 sample, 1.5mm thick	480	576
FMMS-16-1.5	Comb 16 sample, 1.5mm thick	480	576
FMMS-20MC-1.5	Comb 20 sample MC, 1.5mm thick	480	576
FMMS10LID	FMMS10 Purple lid (No cables)	2 090	2508
FMMS10TANK	FMMS10 Tank (including electrodes)	5 000	6000

**COMET ASSAY TANKS**

CSL-COM10	Comet Assay Tank for 10 Slides	10 410	12492
CSL-COM20	Comet Assay Tank for 20 Slides	12 070	14484
CSL-COM40	Comet Assay Tank for 40 Slides	18 290	21948
CSL-COM80	Comet Assay Tank for 80 Slides	26 070	31284

**High Efficiency Horizontal Gel Cooling Systems**

MSMINICP	Cool-pack and platform for MSMINI	1 670	2004
MSMIDICP	Cool-pack and platform for MSMIDI	2 090	2508
MSCHOICECP	Cool-pack and platform for MSCHOICE	2 380	2856
MSMAXICP	Cool-pack and platform for MSMAXI	2 540	3048
MSSCRNCP	Cool-pack and platform for MSSCREEN	3 020	3624

**Horizontal Systems Combi Comb / Loading Guides**

MS7-x-yLG	Combination comb and Loading guide for mini horizontal, X = comb well number, y = comb thickness	840	1008
MS10-x-yLG	Combination comb and Loading guide for midi horizontal, X = comb well number, y = comb thickness	840	1008
MS15-x-yLG	Combination comb and Loading guide for choice horizontal, X = comb well number, y = comb thickness	1 000	1200
MS20-x-yLG	Combination comb and Loading guide for maxi horizontal, X = comb well number, y = comb thickness	1 250	1500
MS26-x-yLG	Combination comb and Loading guide for screen horizontal, X = comb well number, y = comb thickness	1 670	2004

**Horizontální elektroforézy**

Objednací číslo	Charakteristika	Cena Kč bez DPH	Cena Kč s DPH
-----------------	-----------------	-----------------	---------------

**Horizontal Buffer Saver Blocks**

MSMINIBSB	Buffer Saver Blocks for MSMINI, pk/2 saves 100ml of buffer	880	1056
MSMIDIBSB	Buffer Saver Blocks for MSMIDI, pk/2 saves 100ml of buffer	1 040	1248
MSCHOICEBSB	Buffer Saver Blocks for MSCHOICE pk/2 saves 190ml of buffer	1 190	1428
MSMAXIBSB	Buffer Saver Blocks for MSMAXI pk/2 saves 450ml of buffer	1 430	1716
MSSCRNBSB	Buffer Saver Blocks for MSSCREEN, pk/2 saves 625ml of buffer	1 830	2196

CSL-GLT	Gel Levelling Table	3 570	4284
---------	---------------------	-------	------

CSL-RULER	UV Fluorescent Ruler	80	96
-----------	----------------------	----	----


**MultiSub5**

CSL-MULTISUB4	multiSUB4, multi-level Gel Chamber, includes 4x 12cm UV Trays, 4x 18/8 Sample 1.5mm Combs	25 770	30924
MSUB4UV6	multiSUB4 tray 8 x 6cm	1 590	1908
MSUB4UV12	multiSUB4 tray 8 x 12cm	1 990	2388
MSUB4UV18	multiSUB4 tray 8 x 18cm	2 380	2856

MSUB4-12/1-1.5	12/1 SAMPLE 1.5mm COMBS FOR multiSUB4	1 190	1428
MSUB4-18/8-1.5	18/8 SAMPLE 1.5mm COMBS FOR multiSUB4	1 190	1428

**Cellulose Acetate System**

CSL-CELLAS	Horizontal Unit for Cellulose Acetate Electrophoresis	13 030	15636
CSLGEL2.514250	2.5x14 CellasGEL 250 micron	690	828
CSLGEL2.514200	2.5x14 CellasGEL 200 micron	2 680	3216
CSLGEL2.517200	2.5x17 CellasGEL 200 micron	840	1008
CSLGEL5.714250	5.7x14 CellasGEL 250 micron	1 310	1572
CSLGEL5.714200	5.7x14 CellasGEL 200 micron	1 310	1572
CSLGEL5.714250P	5.7x14 CellasGEL 250 micron Pratiga perforate	1 370	1644
CSLGEL5.714200P	5.7x14 CellasGEL 200 micron Pratiga perforate	1 370	1644
CSLGEL524190R	5x24 CellasGEL RS 190 micron Rectangular H.R.	8 800	10560
CSLGEL1717200	17x17 CellasGEL 200 micron	2 620	3144
CSLGEL67.6H	CellasGEL /Myl (Helena size) 6x7.6	1 260	1512
CSLGEL5.710.2A	CellasGEL /Myl for arched position electrophoresis 5.7x10.2	1 580	1896
CSLKITCU	CellasKIT IFE SERUM + CONCENTRATED URINE (5+5 tests for 5 patients) on CellasGEL	12 570	15084
CSLKIT2432	CSLKIT2432 CellasKIT IMMUNOFIXATION (24 semimicro or 32 micro tests) on CellasGEL	15 090	18108
CSLKITSP100200	CellasKIT SERUM PROTEINS (100 semimicro or 200 micro tests) on CellasGEL	5 030	6036
CSLKITSP150200	CellasKIT HIGH RESOLUTION OF SERUM PROTEINS (150 semimicro or 200 micro tests) on CellasGEL	7 550	9060
CSLKITHG100	CellasKIT HEMOGLOBINS (100 semimicro tests) on CellasGEL	5 660	6792
CSLAPPS22	Applicator Semimicro 2+2 for CellasGEL 2.5x14 cm and Kit code CSLKITCU	10 060	12072
CSLAPPS4	Applicator Semimicro 4 for 1.2 l/9mm – First type	10 060	12072
CSLAPPM8	Applicator Micro 8 for CellasGEL	11 320	13584
CSLAPPM8M	Applicator Micro 8 for CellasGEL/Myl	11 320	13584
CSLAPPS18	Applicator Semimicro 18 for CellasGEL sheets 18.3 x14cm and 18.3 x17cm	10 060	12072
CSLAPPS18M	Applicator Semimicro 18 for CellasGEL/Myl sheets 19.85 x 7.6 cm	18 230	21876
CSLKITIFE1	CellasKIT IFE 1 PATIENT (10 semimicro tests) 10.2x12 cm for CellasClear	5 660	6792
CSLDENS	Glob AI Scan Software Densitometer (computer and scanner not included)	86 440	103728
CSLSCAN	Flatbed Scanner for Glob AI Scan	17 640	21168
CSLKITSP480	CellasKIT SERUM PROTEINS (480 micro tests) on CellasClear	15 090	18108
CSLBDG8.5L	CSLBDG8.5L Bridge 8.5 cm for CellasGEL sheets 18.3x14cm	2 200	2640
CSLBDG11L	CSLBDG11L Bridge 11 cm for CellasGEL sheets 17x17cm	2 200	2640
CSLBDG8.5S	CSLBDG8.5S Bridge 8.5 cm (standard size for CellasGEL kits) for CellasGEL strips 5.7x14 or 2.5x14cm	1 890	2268
CSLBDG14RS	CSLBDG14RS Bridge 14 cm for CellasGEL RS Wedge 5x18.5 cm	1 890	2268
CSLBDG11S	CSLBDG11S Bridge 11 cm for CellasGEL strips 5.7x17 cm	1 890	2268
CSLBDGA	CSLBDGA Bridge for in arched position electrophoresis	5 660	6792
CSLBDGH	CSLBDGH Bridge for horizontal position electrophoresis Helena type	4 400	5280

**Battery Gell**

MSBG-1-12	Comb 12 sample, 1mm thick	430	516
MSBG-1-16	Comb 16 sample, 1mm thick	430	516
MSBG-1-4	Comb 4 sample, 1mm thick	430	516
MSBG-1-8	Comb 8 sample, 1mm thick	430	516
MSBGEL	Battery operated horizontal gel 6 x 7.5cm, 2 x 8 sample combs , casting gates.	4 080	4896
MSBGEL-BAT	PP3 batteries for MSBGEL Pk/2	560	672
MSBGEL-CG	Casting gates Pk/2 for MSBGEL	260	312